

Exmar

Characteristics, use and maintenance



The material

Exmar is obtained from the composition of resin and quartz powder. The surface, with a white satin finish, is silky, warm and pleasant to the touch. Any abrasions are easy to remove by sanding.

The application of Exmar in the construction of bathtubs is ideal as the material has the ability to retain the heat of the water for a long time.

Its intrinsic characteristics make this material particularly resistant and suitable for daily use.



Ordinary cleaning

For the daily maintenance of washbasins, shower trays and bathtubs, clean the surface with soap and water or a common detergent to remove most of the stains and dirt that may have settled.

If necessary, use gel or cream detergents together with a slightly abrasive sponge or cleaning cloth, making sure to rinse the treated area properly, in this way the original matte finish will be maintained.

Some substances such as: ink, cosmetics and dyes can leave color on the surface after prolonged contact.

All these stains can be easily removed by following the special instructions for stubborn stains.

Limescale

To eliminate limescale stains, which usually form around the drain, you can use an anti-limescale product to leave on for 2-4 minutes, then rinse thoroughly with a soft cloth and warm water and dry.



Removal of stubborn stains

Stains produced by liquids such as: vinegar, tea, lemon juice, red wine, dyes, ketchup or vegetable oils must be treated using the lightest methods, then progressively use a non-abrasive sponge and a detergent or ammonia-based solution for cleaning.

Only if in presence of particularly stubborn stains such as lily or saffron pollen, or if in presence of a significant scratch, it is possible to use a non-abrasive sponge with bleach.

Rinse several times with warm water and dry with a soft cloth. To restore the original effect use a wet cloth and a light abrasive cream.

If there are traces of limescale around the drain pipe or near the taps, use a non-abrasive sponge and a normal cleaning product, then rinse with a lot of water and dry with a soft cloth.

Heat: avoid pouring boiling liquids directly into the sink without first opening the tap with cold water, this operation will avoid causing problem to the Corian® surface.

Scratches: like any material, Corian® will show slight abrasion marks following normal daily use.

Chemical stains: accidental chemical stains must be promptly removed with plenty of soap and water. In particular, to remove stains from nail polish thinners, use an acetone-free product and wash with plenty of water.

Uncontrolled or prolonged exposure to chemicals will damage the surface.

Boiling water: in general it is recommended to collect boiling tap water, because it could damage the material, creating discoloration, surface cracks or more deep cracks: these types of damages are not covered by the ten years warranty, so it is better to avoid contact.

The guarantee does not cover damages caused by:

- Wrong or improper maintenance
- Modifications without authorization or improper use
- Use outside the ambient settings foreseen for the product
- Improper physical or chemical use
- Damage caused by non-compliance with the procedures regarding assembly and installation
- Wrong preparation or maintenance of the place where the product is installed
- Any other improper use how long described, including repair or other interventions maintenance by personnel not authorized by producer
- Limescale deposits caused by the hardness of the water outside the range of 8 and 12 french degrees
- Extraordinary events

No responsibility is assumed about transcription errors